

Adams



Grease Guns Oil Cans & Funnels

Pistolets à Graisse, Burettes et Entonnoirs

Fettpressen, Ölkannen & Trichter

Grease Guns, Oil Cans and Funnels

A range of grease guns, oil cans, funnels and lubrication pumps suitable for use with the equipment described in this catalogue. Also shown is a range of accessories for use with grease guns.

Pistolets à Graisse, Burettes et Entonnoirs

Une gamme de pistolets graisseurs, de burettes, d'entonnoirs et de pompes de lubrification complète les équipements précédents. Cette section décrit également les accessoires pour pistolets graisseurs.

Fettpressen, Ölkannen & Trichter

Ein breites Angebot an Fettpressen, Ölkannen, Trichtern und Schmierpumpen, geeignet für die vorher gezeigten Einrichtungen, ferner Zubehör für Fettpressen.

POLYETHYLENE FUNNELS

- *Robust Durable Construction
- *Chemical and Oil Resistant

02360	Funnel set comprising of 50,75,100,&120mm diameter funnels.
02363	100mm diameter. 0.25 litre capacity.
02364	120mm diameter. 0.27 litre capacity.
02365	150mm diameter. 0.70 litre capacity.



- *Anti-splash Rim
- * Removable Brass Filter

02372	160mm diameter 1.3 litre capacity with integral handle
02562	160mm diameter. 1.3 litre capacity with integral handle and rigid off set spout
02566	200mm diameter. 2.9 litre capacity with 300mm detachable flexible spout..
02567	250mm diameter. 3.2 litre capacity with 300mm detachable flexible spout.



POLYETHYLENE LIQUID MEASURES

Integral Dispensing Spout

07361	0.5 litre capacity.
07362	1 litre capacity.
07363	2 litre capacity.
07364	3 litre capacity.
07365	5 litre capacity.



METAL OILERS

With Brass Pump, Rigid and Superflex Discharge Spouts

05223	250ML capacity.
05224	350ML capacity.
05225	500ML capacity.
05226	750ML capacity.

- *Robust Seamless Drawn Body.
- *Open Design Handle Providing Safe and Positive Control

- *Durable Paint Finish
- *Force Fed Pump with Double Ball Valves.

ONE HAND OPERATED GREASE GUNS

- *Easy to Clean Removable Plunger Rod assembly
- *Zinc Die Cast Head with precision machined Cylinder and Steel Piston.
- Specifically designed for use in confined spaces.

12250	500ccm capacity with Bulk Filling Nipple, Straight rigid delivery tube and 3 Jaw Hydraulic connector
12276	125ccm capacity with Bulk Filling Nipple. Straight rigid delivery tube and 3 Jaw Hydraulic connector

UNIVERSAL GREASE GUN

- *Zinc Die Head with precision machined Cylinder and Steel Piston.
- *Unique Air Venting Ducts.
- *Rubber Plunger specifically designed to operate with Cartridge or Bulk Grease
- *Exclusive "Posi-Lok" Plunger Rod assembly designed to eliminate problematical air pockets, damaged cartridges or uneven grease flow.
- *Easy to clean removable Plunger Rod assembly

12733-699	500ccm capacity with 8mm, high pressure flexible grease hose and 4 jaw hydraulic connector.
12734-699	500ccm capacity with rigid angled delivery tube and 4 jaw hydraulic connector.



PUSH TYPE OIL AND GREASE GUN

- *Steel Body with Pointed and Universal Connectors.

12362	80ml capacity
12363	150ml capacity
12365	300ml capacity

LEVER OPERATED OIL GUN

- *Zinc Die Cast Head with precision machined Cylinder and Steel Piston.

12602	500ml capacity with rigid angled delivery tube and 3 Jaw Hydraulic connector with Ball Check Valve.
-------	---

CONNECTORS

- *1/8" BSP Connecting Threads

12731	4 Jaw hardened with machined Shanks.
12001	Slide-on Connector to suit Button Head Grease Nipples.
12072	Universal Connector.
12073	Pointed Connector.
12074	Hook-on Connector to suit Button Head Grease Nipples.
12475	Straight rigid Delivery Tube.
12735	Rigid Angled Delivery Tube.



HIGH PRESSURE FLEXIBLE GREASE HOSES

*400 Bar operating pressure.

*800 Bar maximum pressure.

*900 Bar test pressure.

*Conforming to Din specification.

12571	11mm x 230mm Rubber.
12755	11mm x 300mm Rubber
12765	11mm x 500mm Rubber
12753	8mm x 230mm Plastic
12756	8mm x 300mm Plastic
12766	8mm x 500mm Plastic



MANUAL LUBRICATING SYSTEM.

Containing:

Manual Pump Unit,

Dust Cover.

Adjustable stabilising-fixing Bracket,

Follower Plate.

Flexible Rubber Discharge Hose.

Female brass Quick Release Connector.

One hand operated Grease Gun with male brass Quick Release Connector.

Straight rigid Delivery Tube and Hydraulic Connector.

17615	To suit 12.5kgm containers
17630	To suit 25kgm containers



DIRECT HIGH PRESSURE LUBRICATING SYSTEM

Containing:

Manual high pressure Pump Unit.

Metal Dust Cover with integral stabilising fixing mechanism.

Follower Plate,

1.2 metre high pressure Grease Hose.

Rigid angled Delivery Tube and 4 Jaw Hydraulic connector.

17693-698	To suit 25kgm containers
-----------	--------------------------

